



STEAM

+



VACUUM

Steam cleaners

TECNOVAP
 L'ARTE DEL VAPORE

eng

Steam Box Mini

3,75kW



Stainless-steel

STEAM CLEANER

Boiler	Stainless-steel AISI 304 with interchangeable heating element		
Body	Stainless-steel AISI 304 BA		
Power supply	V - Hz	1~ 230 - 50/60 3~ 400 - 50/60	
Boiler output	kW/h	3,6	
Maximum output	kW/h	3,75	
Boiler volume	l	5	
Operating pressure	bar	10	6
Water tank	l	7,5	
Detergent tank	l	7,5	
Steam production	g/min	97	
	Kg/h	5,9	
Steam temperature	°C	183	165
Detergent temperature	°C	90 - 160	

VACUUM CLEANER

Power output	kW/h	1,2	
Drum capacity	l	Plastic: 5,5 Stainless-steel: 7,5	
Air flow	m3/h	200	
Depression	mm	2200	

VARIOUS

Weight	Kg	35	
Cable	m	8	
Dimensions (generator)	cm	H.106 x L.41,2 x W. 66	
Dimensions (pallet)	cm	50x40x80	
Pallet/unit	pz	4	8

Technical features


 Operating pressure
6 bar

 Operating pressure
10 bar


Water mains



Water tank



Detergent tank


 Automatic water
refilling


Detergent injection


 Overheated water
injection


Vacuum cleaner



Control panel


 Boiler maintenance
signal

Steam cleaner with stainless-steel body and boiler, designed for professional use and able to deliver dry saturated steam at 183° C or 165°C:


- Equipped with a wet/dry vacuum cleaner.
- A sturdy structure, a fully electric operation and the compact size allows its a usage in any environment, both outdoors (watertight protection IPX5) and indoors (e.g. in production lines).
- All steam cleaner functions can be managed on the electronic control panel.
- Equipped with hose holder, accessories basket, cable holder, extension tube holders and front 360° swivel wheels

SCAN ME!



Features

Vacuum cleaner with float and drum capacity of:
7,5 L - Stainless steel | 5,5 L - Plastic



Detergent tank - 7,5 liters




Cable holder & accessory basket



Detergent tank level indicator



Steam outlet
6bar - 7P



Steam outlet
10bar - 12P



Dimension

CONTROL PANEL

- Display to visualize temperature and pressure levels, working hours and boiler cleaning signal
- Buttons and indicators for the complete control of the parameters of the steam cleaner



Anti-scratch
rubber
wheels 360°

Version without
vacuum cleaner



Vacuum inlet



Water tank 7,5 liters



On/Off switch



Water tank
level indicator



Water mains
connection



Electric plugs - 8m:

- SHUKO 1~ 230 V - 50/60 Hz
- IEC309/16A 3~ 400 V - 50/60 Hz

Optional accessories

Steam Box Mini can be used with the following accessories:

GEYSER 1 10bar Steam accessories



Steam hose
5m - 8m



Brush with bristles



Window cleaner w/diffusor



100mm lance



Stainless steel threaded brushes



400mm lance



Stainless steel threaded flat nozzle



800mm lance



1200mm lance

STAR 6bar Steam/vacuum accessories



Impugnatura
con pannello di comando
4m



Extension tubes L. 480mm



Window
cleaner



Floor tool L.300mm



Nylon brush insert L. 300mm



Carpet insert
L. 300mm



Squeegee insert L. 300mm



Steam/vacuum nozzle L.145mm



Nylon brush insert L. 145mm



Squeegee insert L. 145mm



Steam lance



Nylon brush Ø28mm



Vacuum nozzle

RADAMES 10bar Steam/vacuum accessories




Discover
all accessories

JULY 10 bar Steam accessories



Discover
all accessories

RADAMES 6bar Steam/vacuum accessories




Discover
all accessories

JULY 6 bar Steam accessories



Discover
all accessories




CAR WASH



HORECA



TRANSPORT
INDUSTRY



HEALTH CARE

